## "JAW" RETHREADER HEX DIES

#### **★ USS-NC DIE KITS**

No.	TTO	8 Pc. Hex Die Set for Coarse Threads. sizes 1/4" thru 3/4".	All 2 75
	Uo	sizes 1/4" thru 3/4".	0.10

MT.	TIT	7 Pc.	NC-USS t 9/16" s	Hex	Dies,	Same	as	U8	Kit	9 95
No.	07	withou	t 9/16" s	ize.						3.23

No. C7 7Pc. Hex Die Set for Coarse Threads 1/4" 3.00

No. LHC Same as C7 in LEFT-HAND threads. 3.00

No. 32 4 Pc. Set of 7/8", 1", 1-1/8" and 1-1/4" 7.25

No. 45 Same as No. 32 plus the 3/4" size. 7.95

#### **★ SAE-NF DIE KITS**

**★ INDIVIDUAL DIES** 

.35

.40

.45

.65

Ma	92	8 Pc.	Hex	Die	Set	for	Fine	SAE	Threads.	9 75
INO.	00	All Siz	es 1/	4" t	hru	3/4	11			3.13

No. F7 7 Pc. Set for Fine Threads 1/4" thru 5/8". 3.00

No. LHF Same as F7 in LEFT-HAND threads. 3.00

No. 31 4 Pc. Set of Large NF Dies from 7/8" thru 7.25


No. 44 5Pc, Large NF Dies from 3/4" thru 1-1/4". 7.95


No. 55 Left-Hand Wheel Stud Set for 1/2" NF and 1.25


No. 65 2Pc. Armature Die Set for restoring damaged threads on most Starter and Generators. 1.25

7/8

1







No. C7



No. 1/4 NC and No. 1-1/4 NF

### ★ LEFT HAND DIES 1/4"thru 5/8"

Indicate by L.H. after the size and add 10¢ each to the above costs. Fine or coarse.

Prices Shown Are "Dealer Net"

NOTE: All dies on this page are for rethreading only! Use oil for long die life.

1.30

2.30

NC and NF

INDICATE NF or NC



5/16

7/16

3/8

1/2

5/8

9/16

## **COMBINATION** Sets of DIES and FILES

No. 177\_\_\_\_\_\_\$9.95

The most popular No. 1 Nu-Thred File for repairing 11, 12, 13, 14, 16, 18, 20 or 24 threads per inch on any diameter bolt, axle or stud. Plus 7 NF-SAE and 7 NC-USS rethreading dies from 1/4" thru 5/8"; all in one sturdy wood cabinet. Every mechanic needs a set of his own.

## No. 1278\_\_\_\_\_\_514.50

This is THE set for every master mechanic. Contains 16 hex rethreader dies plus a No. 1 and No. 2 Nu-Thred File. The nut-size dies cover all on-the-job repairs from 1/4" thru 3/4" in National Fine and National Coarse threads. The thread files have 16 precision milled sides with the following T.P.I. 9, 10, 11, 12, 12, 13, 14, 16, 16, 18, 20, 20, 24, 27, 28, and 32. Complete in polished wood cabinet.

## No. 2288\_\_\_\_\_\_\$18.95

No other Rethreader Set matches this. It's a must for every shop. Contains 2 thread files and 28 rethreader dies. This set has 7 NF-SAE and 7 NC-USS Left-Hand Dies from 1/4" thru 5/8", plus the same sizes in Right Hand Dies. A real super set in a deluxe polished hard-wood cabinet.


### Polished HARD-WOOD CABINET Only

No. B77 Wood Cabinet for No. 177 \$2.50

No. B78 Wood Cabinet for No. 1278 \$2.85

No. B88 Wood Cabinet for No. 2288 33.25

See Page 7 for Information on Thread Files



ALL PRICES SHOWN ARE "DEALER NET"



## FLEXIBLE DRIVES and EXTENSIONS

#### No. 211 FLEX SCREW DRIVER

Hardened Alloy Steel Blade on Laminated Steel Shaft, Works Around Corners, Unbreakable \$1.50 shockproof handle, 8" overall,

#### No. 212 FLEX SOCKET SET 8 pcs.

Flex 1/4" Hex Driver and 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2" hex sockets. Reaches the awkward places easily. Boxed in durable plastic.

#### No. HD4 FLEX 1/4" HEX DRIVER

Handy driver for midget hex sockets. 7-3/8" o.a. \$1.75

#### No. SD14 FLEX 1/4" SQ. DRIVER

Popular Driver for 1/4" square. 6-5/8" o.a. \$1.50

### No. MF4 1/4"x4" FLEX EXTENSION

Gives added length and utility. \$1.50

#### No. MF6 1/4"x6" FLEX EXTENSION

May be used with your tools or No. SD14 Driver. \$1.75

#### No. MF8 3/8"x8" FLEX EXTENSION

Long Flexible 3/8" Male-Female Extension \$2.40

### No. H8 3/8" SQ. DRIVE HANDLE

Large Plastic Handle 3/8" square driver to be used with No. MF8 Flex Extension. Also very handy for close work with your 3/8" sockets, 4-5/8" o.a.

Prices Shown Are "Dealer Net"

See Other Side-


#### FLEXIBLE HEX KEY DRIVERS

For Allen Type Set Screws



No. H8

Better Thread Restorers and Special Tools



JAWA AFG. CO...
39 MULBERRY ST. READING, PA.

## HEX BIT DRIVERS and SCREW DRIVERS

## ALLEN TIP FLEX DRIVER

N	No. X	1 1	/16" H	ex for	1/8" H	ollow I	Head Scre	ws
	FLE	CX S	HAFT	for h	ard to r	each s	pots	\$1.75
	No.	X2	5/64"	width	hex for	5/32"	Screws	1.75
	No.	<b>X3</b>	3/32"	width	hex for	3/16"	Screws	1.75
	No.	X4	1/8"	width	hex for	1/4"	Screws	1.75

No. X15 Set of 5 Above Sizes 1/16" thru 5/32" \$7.95

No. X5 5/32" width hex for 5/16" Screws

## HEX KEYS IN 1/4" SQ. SOCKETS

N	o. F	1 1/	16" W	idth K	ey fo	or 1	/8" Al	len Screws	.70
	No.	F2	5/64"	width	hex	for	5/32"	Screws	.70
	No.	F3	3/32"	width	hex	for	3/16"	Screws	.70
	No.	F4	1/8"	width	hex	for	1/4"	Screws	.70
	No.	F5	5/32"	width	hex	for	5/16"	Screws	.70

No. F15 Set of 5 Above Sockets and Hex Keys \$3.00 All the above will fit any 1/4" Square Driver

## ALLEN WRENCH FLEX SET

No. FD145 1/16" thru 5/32" width bits for 1/8" thru 5/16" hollow head screws. Contains F15 set and SD14 Driver complete in neat plastic box---all contents visible! \$4.50

## No. SC4 "HEX" SCREWDRIVERS 3/16"


4" overall, Handle 2 3/4" x 3/4" Unbreakable Shockproof Plastic, Hexagon Alloy Shaft, only ,30

No. SC6 Same as above, except 6" overall .35


No. SC8 Same as SC4, except 8" overall .40

No. 468 Set of all 3 above Screw drivers \$1.00

SEE No. 212 FLEXIBLE SCREWDRIVER Page 3



ALL PRICES SHOWN ARE "DEALER NET"



## "JAW" BRAKE TOOLS

## No. 13 HAND-BRAKE WRENCH

Positive engagement wrench for adjusting hand brakes on all Chrysler Products from 1950 thru 1959. Works at an angle and either direction in limited space. Hardened, plated tool for long life.

\$1.10

## No. 14 Brake Spring Compressor

Remove and install brake-shoe hold-downs safely. It's quick and easy. Tapered serrated face fits all buttons. Large window opening for full view of arrowhead pin. One quarter turn releases button - it works every time.

\$1.25

## No. 88 BRAKE SPRING TOOL

For Bendix and other brakes using a spring that hooks over a post, Socket end is slipped over post and turned to receive spring into eccentric grooved lip. Spring then lifted off with tool, Easily replaced over post with other end of tool,

\$1.75

## No. 89 "DOUBLE-LIFE" TOOL


It is obvious that the grooved lip is the part that wears out first. If this happens with the "double-life" No. 89 you merely remove the groove-pin and turn the head around for a new tool. Costs a little more -- worth a lot more.


\$1.95

## No. 90 BRAKE SPRING TOOL

This handy tool is made for cars with brake springs that hook into a hole in brake shoe. Knob end is made of alloy steel for extra long life and is used to remove brake spring easily. Other end which is tapered and correctly curved makes an easy job of inserting spring. Tool does not touch the brake lining.

\$1.80





MAY 1959 PAGE NO. 5

## "JAW" SPECIAL TOOLS

# VOLTAGE REGULATOR and DISTRIBUTOR, TOOL KIT

No. K-5

These handy service-tested tools align and adjust voltage regulators and distributors. Do a professional job right on the car.

Set contains all the tools listed below in plastic kit, 4" x 5"... just the right size to slip into vour pocket.

DLR \$4.50

SEPERATE TOOLS SHOWN IN KIT — LEFT TO RIGHT \*>
• No. K-44 DISTRIBUTOR TOOL FOR 1949-50 FORD'S . . . 306
• No. K-26 VOLTAGE REGULATOR TOOL FOR MOST TYPES 656

© No. K-19 IGNITION POINT ALIGNING TOOL . . . . \$2.25

No 39 OFFSET SCREWDRIVER for POINT CLAMP SCREW 606

● No. 40 TO ADJUST VOLTAGE REGULATOR ON FORDS 456

#### IGNITION AND POINT ALIGNING TOOL

No. K-20 aligning points on Delco, Autolite, and other distributors.


Also has special end for adjusting heavy duty stationary point. DLR \$2.50

### "JAW" Close Parts PULLER

No. 202 Use under any press. Removes or separates closely fitted bearings, gears, splined arms and all other pressed fit parts. Works on only 1/16" separation! Ruggedly built for life-time service. DLR \$18.95 steel.

### No. 776 GASOLINE BRUSH

Long lasting black "Saran" specially treated, "wave" crimped, bristles retain their firmness and shape. "Saran" bristles are resistant to swelling or softening when immersed in acetone, oil, most acids, thinner and solvents. It is 11 3/4" long for excellent balance. Real hard wood handle. Dealer Net \$16.20 Dozen.





## Sell "Nu-Thred" Files

## BOLT THREAD FILES

No. 1	Repairs the following threads per inch; right or left hand; any diameter: 11, 12, 13, 14, 16, 18, 20, 24,	\$250
	13, 14, 16, 18, 20, 24,	

No. 2 Contains coarser and finer threads than the file above, as follows: 9, 10, 12, 16, 20, 27, 28 and 32 T.P.I.

NO. A This low cost thread file has the popular 18, 20, 24 and 28 threads per inch. Wood handle protects your hand.

NO. B Renews 11, 13, 14, 16 threads per inch.
Add this handled file to the No. A for a perfect pair of work savers.

Nu-Thred Files are time-tested to do a fast renewing job on damaged threads of any diameter, right or left hand. It is used just like a file. Pick out the proper clearly marked size (makes a perfect thread gauge) and overlap a few good threads. Work the file around the battered, rusty or corroded part and the thread is restored in a jiffy!

# EXTERNAL & INTERNAL PIPE RETHREADING FILES


AL.	0	External Pipe Rethreading File for 8 and	+000
NO.	3	External Pipe Rethreading File for 8 and 10 T.P.I. File is 7/8" wide and 10" long, with finger holds.	3300
		long, with linger holds,	

	-	New External 11 1/2, and 14 7/8" x 7/16" x	Pipe F	ile for 8,	10,	+000
Nn	7	11 1/2, and 14	T.P.I.	Dimensions	are	2300
110.	U	7/8" x 7/16" x	8 1/2".	Ready	159.	0.

	File for restoring 8 and 10 T.P.I. Internal threads on pipe and fittings. 7/16" square by 10" long.	64	EO
NO h	ternal threads on pipe and fittings.	3	JU
110. 0	7/16" square by 10" long.		

No. 7	Internal Pipe File for 8 and 11 1/2 T.P. I. 7/16" Square by 10" long. Room enough for a two handed grip:	\$150
NU. /	enough for a two handed grip;	. 100

M.	0	7/16" sq. x 10" long Pipe File for 10 and 14 T.P.I. Repairs internal threads	(4EA
No.	X		1 30
	-	on pipe and fittings.	





## **HEX-HEAD Re-Threader TAPS and Sets**

Any tap or die not specifically designed for rethreading will undercut and leave a sloppy fit. Jaw designed Rethreaders can be driven with any wrench in the most confined quarters. And they do not undercut.

## No. 33 Tube Fitting Set \$300

Kit consists of 3 Chaser Taps and 3 Chaser Dies:  $1/2 \times 20$ ,  $7/16 \times 24$ , and  $3/8 \times 24$ . Works on Fuel, Hydraulic and Oil Fittings for 5/16". 1/4" and 3/16" tube size. Can be used by hand. wrench or socket.

## No. T6F Rethreader Taps \$325

Here is the companion set to the famous Jaw Rethreader Dies. This inexpensive set restores threads in NF-SAE tapped holes, 6 Taps for 1/4" thru 9/16". Hex head for easy driving --Pilot for easy starting.

## No. T6C Rethreader Taps \$325

No costly tear downs with Jaw Rethreader Taps. Needed every day to renew damaged, corroded and rusted threads. This long lasting NC-USS set will pay for itself on just a few jobs. Can't undercut -- Threads are like new!


## REPLACEMENT TAPS and DIES

DIES and TAPS for No. 33 Set.

No.	331	3/8"	Die	.40	No.	334	3/8"	Тар	,50
No.	332	7/16"	Die					Тар	
No.	333	1/2"	Die	. 55	No.	336	1/2"	Tap	60

#### TAPS for No. T6S and No. T6F Sets.

No.	6C1	1/4"	NC	Tap	.40	No.	6F1	1/4"	NF	Tap	.40
No.	6C2	5/16"	**	**	.45	No.	6F2	5/16"	11	**	.45
No.	6C3	3/8"	- 11	**	.50	No.	6F3	3/8"	11	(H	.50
No.	6C4	7/16"	11	**	.55	No.	6F4	7/16"	11	111	.55
No.	6C5	1/2"	11	**	. 60	No.	6F5	1/2"	***	**	.60
No.	6C6	9/16"	11	**	.65	No.	6F6	9/16"	**	11	.65



ALL PRICES SHOWN ARE "DEALER NET"



## CUTTING TAP and DIE SETS

#### No. 819 HEX CUTTING-DIE SET

This 10 pc. Set contains five NC-USS 1" O.D. Hexagon Dies from 1/4" thru 1/2" and the same in NF-SAE threads. Packed in sturdy wood box. "Jawcut" Taps and Dies are precision-made to MCTI Standards from the finest tool steel.

\$9.50

#### No. 820 HEX DIE and TAP SET

This 24 pc. Set has eleven Taps from 1/4" thru 1/2" in NF and NC threads plus a 1/8"NPT. And the same eleven sizes in 1" O.D. Hexagon Dies, plus a 10" Hexagon Die Stock with adjustable guide for starting new threads, and a Straight Handle Adjustable Tap Wrench. Made from the finest tool steel to cut clean and accurate threads. Use the right lubricant, Turn clockwise for right hand threads, then re-

No. 821 The same as No. 820 but us- \$23.95

verse, to break the chips,

### No. 16MS MACHINE SCREW 16 Pc. SET

Consists of Pitch Gauge, Screw Driver, T-Handle Tap Wrench, 1" Round Die Stock, Dies and Taps for 4 x 36, 6 x 32, 8 x 32, 10 x 24, 10 x 32, and 12 x 24. Packed in nested unbreakable plastic box. Lightweight and compact.

### No. 46FA AUTOMOTIVE 26 Pc. SET

The best for shop or home, Contains No. 4TW Tap Wrench, 1"Round Die Stock, Pitch Gauge, Screw Driver, Dies and Taps for 1/4" thru 1/2" NC and NF threads. Plus tap and die for 1/8 x 27 Pipe Thread, In a handy, rugged plastic box. \$20.85

#### ADJUSTABLE GUIDE DIE STOCKS


No. 50 for 1" O.D. Round Dies, 4x36 to 1/2" Threads \$2.75 No. 85 for 1" O.D. Hexagon Dies 4x36 to 1/2" Threads \$2.75

#### DELUXE TAP · REAMER WRENCH


No. 4TW for all Taps from 4 x 36 to 1/2" size \$2.75


#### T-HANDLE TAP WRENCH

No. 2TW (0 to 12) \$ .75 Sliding handle has spring ten-No. 5TW (1/4" to 1/2") \$1.25 sion, holds at any position.



No. 819





See other side for prices of individual Taps & Dies



## TAPS, DIES, Screw Extractors, Wire Brushes

"Jawcut" Taps are made to exacting INDIVIDUAL TAPS precision standards and fully meet the specifications of the Tap and Die Divi-

sion of the Metal Cutting Tool Institute. Only the highest quality tool steel is used, and it is carefully heat treated to give the maximum cutting efficiency and long service.

#### PIPE TAPS MACHINE SCREW. NC-NF

Nos.	4, 6,	8	(M.S.T.)	.40	No.	1/8 P.T.	,70
Nos.	10, 12,	14	(M.S.T.)	.45	No.	1/4 P.T.	, 85

#### FRACTIONAL SIZE TAPS. NC-NF

No.	3/16T	NC or NF	. 45	No.	1/2 T	NC or NF	,90
No.	1/4T		.50	No.	9/16T		1.20
No.	5/16T		.60	No.	5/8T		1,50
No,	3/8T		.70	No.	11/16T		1.80
No.	7/16T		. 75	No.	3/4T		2.00

"Jawcut" Dies are precision-made of the same high quality tool steel as "Jawcut" taps -- fine tools of highest

character. Fully guaranteed.

#### ROUND SOLID DIES, 1" O.D., NFor NC

No.	4RD thru 12RD for Machine Screws 4, 6, 8, 10, 12 Each	\$ .55
No.	3/16RD thru 7/16RD for Fractional Size Round Dies "	,55
No.	1/8PD for 1/8x27 Pipe, No. 1/4P, D, for 1/4x18 Pipe "	.60

#### HEXAGON THREADING DIES, 1"O. D. NFORNC

No.	4HD thru 12HD for Machine Screws 4, 6, 8, 10, 12 Each	\$ .80
No.	3/16HD thru 1/2HD for Fractional Size Hexagon Dies "	.80
No.	1/8PDH for 1/8x27 Pipe, No. 1/4PDH for 1/4x18 Pipe "	.80

### SCREW EXTRACTORS broken screws, pipes, bolts

The quick, easy way to remove and studs. Drill a hole in the

broken piece with the drill number stamped on the screw extractor. Turn extractor counter-clockwise and the piece comes out without damaging the thread.

No.	1E for	3/32 to 5/	32 \$ .35	No. 4E	for 9/32 to 3/8	,45
No.	2E for	5/32 to 7/	32 .35	No. 5E	3/8 to 5/8, 1/8P,	1/4P.50
No.	3E for	7/32 to 9/	32 .40	No. 6E	5/8 to 7/8 & 3/8	P .75
No.	30E Se	t of First !	Extractor	in Plasti	c Pocket Case	\$2,25

Uniform wire tufts are permanently fastened. Wood is seasoned and edges rounded for easier handling, All wire used is of the best grade, in standard gauges. One Dozen to a carton,


#### \$6.25 No, 770 LONG HANDLE - CURVED Brush 3 x 19 rows, wire 1-3/16" long. Solid DOZ. hard wood handle, 13-3/4" overall length.

#### No. 771 SHOE HANDLE \$7.60 DOZ. Brush 4 x 16 rows, wire 1-3/16" long, Solid


hardwood, one piece block construction, Length overall. 10".

#### \$4.25 No. 772 JIFFY - ALL METAL DOZ.

Brush part 1-1/4" wide, overall 5-1/4", wire 1-1/2" long. Clean hard-to-get-at places, files, and parts.



## Better Thread Restorers and Special Tools



39 MULBERRY ST. READING, PA.